



Pool Roofing

Mobile and Fixed

AQUA-WORLD

Aqua-World

The Aqua-World team is dedicated, via a comprehensive dealer network, to offering its customers some of the highest quality outdoor leisure products available on the market today.

All our items are sourced to ensure we are not only able to offer excellent value for money, but also provide products with a high quality finish. Our products are designed to guarantee durability and excellent performance, whilst creating a stunning addition to your home.

Although we are constantly adding to our product range, we encourage customer feedback to ensure that we can continue to meet all your home and garden leisure requirements, so please feel free to contact us or your local dealer.

- Over 20 years' experience in pool manufacture and supply
- Above and In Ground pools and accessories
- Technical sales support service
- No minimum order quantity
- Fast, flexible delivery service within UK




Location

Aqua-World prides itself on offering excellent customer service and support. Based in the Midlands, but with several dealer showrooms located across the UK. Visit the Aqua-World website regularly for updates on new additions to our product range.

Orders & Delivery

- Many pool and accessory items available ex-stock
- Technical support Line and order tracking service available
- Fast, flexible delivery from the heart of the UK



Pool Roofing...

incorporating the latest manufacturing technology

- Constructed from high quality material
- Strong and durable construction
- Engineered for simple installation and operation
- Designed to complement and enhance your outdoor living space

Mobile Roofing – Technical Parameters

- Fully mobile roofing
- Quick and simple to assemble
- Construction and materials designed for year-round use
- Fully UV resistant and waterproof AIRTEX textile
- Multi-side access
- Multi-purpose – has a wide range of uses



Fixed Roofing - Technical Parameters

- Construction from light aluminium alloy
- Rail assemblies allow roof sections to slide in both directions
- Wall fillings from clear polycarbonate with UV filter
- Several door options available
- Roof spans up to 8 m
- Centre height up to 2.5 m



What are the advantages of installing roofing on a pool?

- Extends swimming pool usage by up to six months a year
- Allows pool to be used during bad weather
- Improves solar effect in helping to heat pool water
- Prevents dirt and debris getting into the swimming pool water
- Reduces thermal losses from heated swimming pool water during night-time cooling
- Saves electricity costs when heating swimming pool water
- Prevents small children and pets falling into the swimming pool
- Reduces cleaning/maintenance time and costs
- Can significantly reduce the use of chemicals

Pool Roofing 2011

Azure (Mobile Roofing)


Azure steel frame mobile roofing covers offer extended usage of your pool. They are designed to be used with either in or above ground pools and have an internal height of over 2m. The walls are made from extremely tough, fade resistant PVC. All mobile covers have the option of one fully opening end to make them truly multi-functional. Oval covers also have zip access.



Shape	Diameter	Weight
	4.1 x 2.2 m	42 kg
	4.1 x 6.2 x 2.2 m	64 kg
	4.1 x 8.1 x 2.2 m	82 kg
	4.9 x 2.6 m	49 kg
	4.9 x 7.0 x 2.6 m	72 kg
	4.9 x 8.9 x 2.6 m	89 kg
	4.1 x 10.0 x 2.6 m	93 kg
	4.9 x 10.8 x 2.6 m	106 kg

Compact

low radius roofing with a minimum height




Compact roofing is available in up to a 6 m span. Roofing is typically constructed from three standard sections, with reinforced panels being used for larger spans.



Internal width of the roofing in (m)	Approximate centre height in (m)	Total length of the roofing (m)	Max. width of track
Up to 4.0 m	1 m	4.2 m 2 modules	32 cm
Up to 4.5 m	1.1 m	6.3 m 3 modules	44 cm
Up to 5.0 m	1.2 m	8.4 m 4 modules	59 cm
Up to 5.5 m	1.3 m	10.5 m 5 modules	73 cm
Up to 6.0 m	1.4 m	12.6 m 6 modules	88 cm
		14.7 m 7 modules	103 cm
		16.8 m 8 modules	118 cm

high radius roofing with a maximum height




Compact roofing is available in up to a 6 m span. Roofing is typically constructed from three standard sections, with reinforced panels being used for larger spans.



Internal width of the roofing in (m)	Approximate centre height in (m)	Total length of the roofing (m)	Max. width of track
Up to 4.0 m	2.5 m	4.2 m 2 modules	32 cm
Up to 4.5 m	2.5 m	6.3 m 3 modules	43 cm
Up to 5.0 m	2.25 m	8.4 m 4 modules	57 cm
Up to 5.5 m	2.25 m	10.5 m 5 modules	69 cm
Up to 6.0 m	2.35 m	12.6 m 6 modules	82 cm
		14.7 m 7 modules	95 cm
		16.8 m 8 modules	108 cm

Trend


curved roofing standard



Trend roofing is available in up to an 8 m span. Roofing is typically constructed from three standard sections, with reinforced panels being used for larger spans.

Internal width of the roofing in (m)	Approximate centre height in (m)	Total length of the roofing (m)	Max. width of track
Up to 3.0 m	0.9 m	4.2 m 2 modules	32 cm
Up to 3.5 m	1.15 m	6.3 m 3 modules	44 cm
Up to 4.0 m	1.25 m	8.4 m 4 modules	59 cm
Up to 4.5 m	1.35 m	10.5 m 5 modules	73 cm
Up to 5.0 m	1.45 m	12.6 m 6 modules	88 cm
Up to 5.5 m	1.55 m	14.7 m 7 modules	103 cm
Up to 6.0 m	1.75 m	16.8 m 8 modules	118 cm
Up to 6.5 m	1.9 m		
Up to 7.0 m	2.1 m		
Up to 7.5 m	2.2 m		
Up to 8.0 m	2.3 m		


curved roofing with increased height



Trend roofing is available in up to an 8 m span. Roofing is typically constructed from three standard sections, with reinforced panels being used for larger spans.

Internal width of the roofing in (m)	Approximate centre height in (m)	Total length of the roofing (m)	Max. width of track
Up to 3.0 m	1.0 m	4.2 m 2 modules	32 cm
Up to 3.5 m	1.3 m	6.3 m 3 modules	44 cm
Up to 4.0 m	1.5 m	8.4 m 4 modules	59 cm
Up to 4.5 m	1.7 m	10.5 m 5 modules	73 cm
Up to 5.0 m	1.7 m	12.6 m 6 modules	88 cm
Up to 5.5 m	1.8 m	14.7 m 7 modules	103 cm
Up to 6.0 m	1.9 m	16.8 m 8 modules	118 cm
Up to 6.5 m	2.1 m		
Up to 7.0 m	2.2 m		
Up to 7.5 m	2.3 m		
Up to 8.0 m	2.4 m		

curved roofing with maximal height




Trend roofing is available in up to an 8 m span. Roofing is typically constructed from three standard sections, with reinforced panels being used for larger spans.

Internal width of the roofing in (m)	Approximate centre height in (m)	Total length of the roofing (m)	Max. width of track
Up to 3.0 m	1.2 m	4.2 m 2 modules	32 cm
Up to 3.5 m	1.5 m	6.3 m 3 modules	44 cm
Up to 4.0 m	1.8 m	8.4 m 4 modules	59 cm
Up to 4.5 m	2.0 m	10.5 m 5 modules	73 cm
Up to 5.0 m	2.1 m	12.6 m 6 modules	88 cm
Up to 5.5 m	2.2 m	14.7 m 7 modules	103 cm
Up to 6.0 m	2.3 m	16.8 m 8 modules	118 cm
Up to 6.5 m	2.4 m		
Up to 7.0 m	2.5 m		
Up to 7.5 m	2.5 m		
Up to 8.0 m	2.5 m		

Pool Roofing 2011

Apollo

curved roofing with one oblique wall




Apollo roofing is available in up to a 5 m span. Roofing is typically constructed from three standard sections, with reinforced panels being used for larger spans.



Internal width of the roofing in (m)	Approximate centre height in (m)	Total length of the roofing (m)	Max. width of track
Up to 3.5 m	1.85 m	4.2 m 2 modules	30 cm
Up to 4.0 m	2.05 m	6.3 m 3 modules	44 cm
Up to 4.5 m	2.15 m	8.4 m 4 modules	58 cm
Up to 5.0 m	2.3 m	10.5 m 5 modules	73 cm
		12.6 m 6 modules	87 cm
		14.7 m 7 modules	102 cm
		16.8 m 8 modules	115 cm

Imperial

low curved roofing with two oblique walls with a minimum height



Imperial roofing is available in up to a 6 m span. Roofing is typically constructed from three standard sections, with reinforced panels being used for larger spans.



Internal width of the roofing in (m)	Approximate centre height in (m)	Total length of the roofing (m)	Max. width of track
Up to 3.5 m	0.85 m	4.2 m 2 modules	29 cm
Up to 4.0 m	0.95 m	6.3 m 3 modules	43 cm
Up to 4.5 m	1.15 m	8.4 m 4 modules	56 cm
Up to 5.0 m	1.25 m	10.5 m 5 modules	70 cm
Up to 5.5 m	1.35 m	12.6 m 6 modules	83 cm
Up to 6.0 m	1.45 m	14.7 m 7 modules	96 cm
		16.8 m 8 modules	110 cm

Types of doors



Door without scrolling – sliding



Door with treshold – sliding



Flap



Doors without – hinge



Side doors – sliding

Types of track



Track for one-sided shift "standard"



Track for two-sided shift




1 rail "standard"



3 rails "standard"



Walked rail with cover



www.aqua-world.co.uk

Approved dealer:

AQUA-WORLD